



C PROGRAMMING

Project

Deadline: 1.30 PM 28 November 2005

1. Write a program with a menu to select from functions that will:
 - (a) Enter an array of 6 numbers that are between -128 and $+127$. Output the largest number and the smallest number in binary. (5 marks)
 - (b) Allow you to enter your name (in any case) and display your first name in lower case and family name in upper case. (5 marks)
 - (c) Enter a list of six names in alphabetical order and reverse alphabetical order. (5 marks)
 - (d) Quit the program. (5 marks)
 - (e) Place an icon on the desktop to run your program from. To do this, locate the executable of your program using Windows Explorer then right-click on the file and then send to the desktop. Note that although you can do this with TCLITE, the .exe file cannot be executed outside of the TCLITE IDE. (10 marks)
 2. Hand in a flow chart or pseudocode to show your planning (5 marks)
 3. Use functions, with at least one function that returns a value used by your program, and at least one function that accepts and uses a parameter. (10 marks)
 4. Correctly indent your program. (5 marks)
- Total: (50 marks)
5. Hand in whatever work you have completed by the deadline, even if it is not completed.
 6. You may use the following program as a template for your project. The program is available from <http://nicku.org/c-programming/exercises/project/progs/menu.cpp>

```
#include <stdio.h>
#include <stdlib.h>
#include <ctype.h>
```

```
void display_menu( void )
{
    printf( "Type in the appropriate number and press enter\n"
           "1 Converting numbers to binary\n"
           "2 Perform the quincy SHNORKS operation\n"
           "3 sort 6 names\n" );
}
```

```
        "4 quit\n\n" );
    }

void num_to_bin( void )
{
    printf( "the binary program\n" );
}

void quincy_SHNORKS( void )
{
    printf( "the quincy SHNORKS program\n" );
}

void sort_names( void )
{
    printf( "the sorting program\n" );
}

void quit( void )
{
    exit( 1 );
}

void unknown( char c )
{
    if ( isprint( c ) )
        fprintf( stderr, "Unknown menu choice \"%c\"\n", c );
    else
        fprintf( stderr,
            "Unknown menu choice: character with ASCII value \"%d\"\n", c );
}

int menu( void )
{
    char choice;
    while ( 1 ) {
        display_menu();
        scanf( " %c", &choice );
        switch ( choice ) {
            case '1':
                num_to_bin();
                break;
            case '2':
                quincy_SHNORKS();
                break;
            case '3':
                sort_names();
                break;
            case '4':
            case 'q':
            case 'Q':
                quit();
        }
    }
}
```

```
                break;
            default:
                unknown( choice );
                break;
        }
    }
}

int main( void )
{
    menu();
    return 0;
}
```
