

1.108.5

Notify users on system-related issues

Weight 1

Linux Professional Institute Certification — 102

Geoffrey Robertson `ge@ffrey.com` Nick Urbanik
`nicku@nicku.org`

This document Licensed under GPL—see section 7

2005 July

Outline

Context

Objective

/etc/issue

Manpage for `issue`
getty strings you can use
in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topic 108 Documentation [8]

Where we are up to

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document

- 1.108.1 Use and Manage Local System Documentation [4]
- 1.108.2 Find Linux Documentation on the Internet [3]
- 1.108.5 **Notify Users on System Related Issues [1]**

Description of Objective

1.108.5 Notify users on system-related issues

Candidates should be able to notify the users about current issues related to the system. This objective includes automating the communication process, e.g. through logon messages.

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document

Key files, terms, and utilities include:

`/etc/issue` —

`/etc/issue.net` — File containing message displayed when users log in via `telnet` (which should be never! :-)

`/etc/motd` — Message of the day file: displayed when log in via `ssh` or the console

Customize the Local Login screen with

/etc/issue

- ▶ The login screen for Fedora Core 4 looks like this:

```
Fedora Core release 4 (Stentz)
Kernel 2.6.13-1.1526_FC4smp on an i686
```

```
login:
```

- ▶ The `getty` process spawned by `init` presents the contents of the file `/etc/issue` and provides a `login:` prompt for the user.
- ▶ The file `/etc/issue`

```
$ cat /etc/issue ↵
Fedora Core release 4 (Stentz)
Kernel \r on an \m
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

[/etc/issue](#)

Manpage for `issue`
getty strings you can use in
`issue`

[telnet](#) and [issue.net](#)

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Customize the Local Login screen with

/etc/issue

- ▶ The login screen for Fedora Core 4 looks like this:

```
Fedora Core release 4 (Stentz)
Kernel 2.6.13-1.1526_FC4smp on an i686
```

```
login:
```

- ▶ The `getty` process spawned by `init` presents the contents of the file `/etc/issue` and provides a `login:` prompt for the user.
- ▶ The file `/etc/issue`

```
$ cat /etc/issue ↵
Fedora Core release 4 (Stentz)
Kernel \r on an \m
```

Customize the Local Login screen with

`/etc/issue`

- ▶ The login screen for Fedora Core 4 looks like this:

```
Fedora Core release 4 (Stentz)
Kernel 2.6.13-1.1526_FC4smp on an i686
```

```
login:
```

- ▶ The `getty` process spawned by `init` presents the contents of the file `/etc/issue` and provides a `login:` prompt for the user.
- ▶ The file `/etc/issue`

```
$ cat /etc/issue ↵
Fedora Core release 4 (Stentz)
Kernel \r on an \m
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in
`issue`

telnet and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Customize the Local Login screen with

`/etc/issue`

- ▶ The login screen for Fedora Core 4 looks like this:

```
Fedora Core release 4 (Stentz)
Kernel 2.6.13-1.1526_FC4smp on an i686
```

```
login:
```

- ▶ The `getty` process spawned by `init` presents the contents of the file `/etc/issue` and provides a `login:` prompt for the user.
- ▶ The file `/etc/issue`

```
$ cat /etc/issue ↵
Fedora Core release 4 (Stentz)
Kernel \r on an \m
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in
`issue`

telnet and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Outline

Context

Objective

[/etc/issue](#)

Manpage for `issue`

getty strings you can use in issue

telnet and issue.net

Message of the Day: `motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

[/etc/issue](#)

Manpage for `issue`

getty strings you can use in
issue

telnet and issue.net

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Outline

Context

Objective

/etc/issue

Manpage for `issue`

getty strings you can use in issue

telnet and issue.net

Message of the Day: `motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

Manpage for `issue`

**getty strings you can use in
issue**

telnet and issue.net

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

man `getty`—embedded in the `/etc/issue`

- `\d` insert current day (localtime),
- `\l` insert line on which `mingetty` is running,
- `\m` inserts machine architecture (`uname -m`),
- `\n` inserts machine's network node hostname (`uname -n`),
- `\o` inserts domain name,
- `\r` inserts operating system release (`uname -r`),
- `\t` insert current time (localtime),
- `\s` inserts operating system name,
- `\u` insert the number of current users logged in
- `\U` inserts “1 user” or “ $\langle n \rangle$ users”, where $\langle n \rangle$ is the number of users logged in
- `\v` inserts operating system version (`uname -v`).

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in
`issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Telnet uses /etc/issue.net

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

The following sequences are supported by telnetd:

%l	show the current tty
%h, %n	show the system node name (FQDN)
%D, %O	show the name of the NIS domain
%d, %t	show the current time and date
%s	show the name of the operating system
%m	show the machine (hardware) type
%r	show the operating system release
%v	show the operating system version
%%	display a single '%' character

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document

Message of the Day — motd

Login Sequence

- ▶ Contents of `/etc/issue` is displayed.
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:

`motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This
Document

Message of the Day — motd

Login Sequence

- ▶ **Contents of `/etc/issue` is displayed.**
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:

`motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This
Document

Message of the Day — motd

Login Sequence

- ▶ Contents of `/etc/issue` is displayed.
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This
Document

Message of the Day — motd

Login Sequence

- ▶ Contents of `/etc/issue` is displayed.
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:

`motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This

Document

Message of the Day — motd

Login Sequence

- ▶ Contents of `/etc/issue` is displayed.
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This
Document

Message of the Day — motd

Login Sequence

- ▶ Contents of `/etc/issue` is displayed.
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This
Document

Message of the Day — motd

Login Sequence

- ▶ Contents of `/etc/issue` is displayed.
- ▶ `getty` displays the login prompt.
- ▶ `/bin/login` handles the login process.
 - ▶ User is authorized.
 - ▶ Contents of `/etc/motd` is displayed.
 - ▶ The login shell is executed.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:

`motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This

Document

Outline

Context

Objective

/etc/issue

Manpage for `issue`

getty strings you can use in issue

telnet and issue.net

Message of the Day: `motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues

Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:

`motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This

Document

Manpage for motd

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

MOTD (5) Linux Programmer's Manual MOTD (5)

NAME

motd - message of the day

DESCRIPTION

The contents of `/etc/motd` are displayed by `login(1)` after a successful login but just before it executes the login shell.

The abbreviation "motd" stands for "message of the day", and this file has been traditionally used for exactly that (it requires much less disk space than mail to all users).

FILES

`/etc/motd`

SEE ALSO

`login(1)`, `issue(5)`

Linux 1992-12-29 MOTD (5)

[Context](#)

[Objective](#)

[/etc/issue](#)

[telnet and issue.net](#)

[Message of the Day:](#)

[motd](#)

Manpage for motd

[motd in action](#)

[Ways of notifying users](#)

[License Of This Document](#)

Outline

Context

Objective

/etc/issue

Manpage for `issue`

getty strings you can use in issue

telnet and issue.net

Message of the Day: `motd`

Manpage for `motd`

`motd` **in action**

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues

Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:

`motd`

Manpage for `motd`

`motd` **in action**

Ways of notifying users

License Of This

Document

motd

```
$ cat /etc/motd ←  
G'day! :-)  
$ exit ←
```

```
Red Hat Linux release 9 (Shrike)  
Kernel 2.4.20-8 on an i686
```

```
marsbar login: geoffrey  
Password:  
Last login: Wed Sep 10 22:23:15 on tty2  
G'day! :-)  
You have new mail.  
$
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Manpage for motd
motd in action

Ways of notifying users

License Of This
Document

motd

```
$ cat /etc/motd ←  
G'day! :-)  
$ exit ←
```

```
Red Hat Linux release 9 (Shrike)  
Kernel 2.4.20-8 on an i686
```

```
marsbar login: geoffrey  
Password:  
Last login: Wed Sep 10 22:23:15 on tty2  
G'day! :-)  
You have new mail.  
$
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Manpage for motd
motd in action

Ways of notifying users

License Of This
Document

motd

```
$ cat /etc/motd ←  
G'day! :-)  
$ exit ←
```

```
Red Hat Linux release 9 (Shrike)  
Kernel 2.4.20-8 on an i686
```

```
marsbar login: geoffrey  
Password:  
Last login: Wed Sep 10 22:23:15 on tty2  
G'day! :-)  
You have new mail.  
$
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Manpage for motd
motd in action

Ways of notifying users

License Of This
Document

It also works with `ssh`

```
$ ssh nicku.org ↵  
Last login: Thu Oct 27 10:51:21 2005 from nicku.org  
G'day! :-)  
$ cat /etc/motd ↵  
G'day! :-)  
$
```

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:

motd

Manpage for motd

Usage in action

Ways of notifying users

License Of This
Document

Notify Users of System Related Issues

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document

Login Screen /etc/issue

Telnet Login Screen /etc/issue.net

Login message /etc/motd

wall Message to all terminals

talk Split screen message

Email Users list

Phone They have a phone

Visit They have an office

Notify Users of System Related Issues

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

wall Message to all terminals

talk Split screen message

Email Users list

Phone They have a phone

Visit They have an office

Notify Users of System Related Issues

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

`wall` Message to all terminals

`talk` Split screen message

Email Users list

Phone They have a phone

Visit They have an office

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Notify Users of System Related Issues

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

wall Message to all terminals

talk Split screen message

Email Users list

Phone They have a phone

Visit They have an office

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Notify Users of System Related Issues

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

wall Message to all terminals

talk Split screen message

Email Users list

Phone They have a phone

Visit They have an office

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Notify Users of System Related Issues

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

wall Message to all terminals

talk Split screen message

Email Users list

Phone They have a phone

Visit They have an office

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Notify Users of System Related Issues

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

`wall` Message to all terminals

`talk` Split screen message

Email Users list

Phone They have a phone

Visit They have an office

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Notify Users of System Related Issues

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document

Login Screen `/etc/issue`

Telnet Login Screen `/etc/issue.net`

Login message `/etc/motd`

wall Message to all terminals

talk Split screen message

Email Users list

Phone They have a phone

Visit They have an office

Topics Covered

Context

Objective

/etc/issue

Manpage for `issue`
getty strings you can use in `issue`

telnet and issue.net

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

/etc/issue

Manpage for `issue`

getty strings you can use in `issue`

telnet and `issue.net`

Message of the Day: `motd`

Manpage for `motd`

`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues

Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

/etc/issue

**Manpage for `issue`
getty strings you can use in `issue`**

telnet and issue.net

Message of the Day: `motd`

**Manpage for `motd`
`motd` in action**

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5
Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

Topics Covered

Context

Objective

`/etc/issue`

Manpage for `issue`
getty strings you can use in `issue`

`telnet` and `issue.net`

Message of the Day: `motd`

Manpage for `motd`
`motd` in action

Ways of notifying users

License Of This Document

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

`/etc/issue`

`telnet` and `issue.net`

Message of the Day:
`motd`

Ways of notifying users

License Of This
Document

License Of This Document

Copyright © 2005, 2003 Geoffrey Robertson <ge@ffrey.com> and Nick Urbanik <nicku@nicku.org>.

Permission is granted to make and distribute verbatim copies or modified versions of this document provided that this copyright notice and this permission notice are preserved on all copies under the terms of the GNU General Public License as published by the Free Software Foundation—either version 2 of the License or (at your option) any later version.

1.108.5

Notify users on
system-related issues
Weight 1

Geoff Robertson

Context

Objective

/etc/issue

telnet and issue.net

Message of the Day:
motd

Ways of notifying users

License Of This
Document