

After \$9 .....	Slide 22
More about Quoting .....	Slide 23
Command Substitution .....	
Command Substitution .....	Slide 24
Example of Cmd Subst .....	Slide 25
Conditions .....	
Comparing Strings .....	Slide 26
Comparing Integers .....	Slide 27
File Tests & NOT .....	Slide 28
AND OR Conditions .....	Slide 29
Arithmetic .....	
Arithmetic Assignments .....	Slide 30
\$(...) .....	Slide 31
((...)) .....	Slide 32
Statements .....	
if Statement .....	Slide 33
while Statement .....	Slide 34
for Statement .....	Slide 35
for Loops: Another Example .....	Slide 36
for (( ; ; )) .....	Slide 37
break and continue .....	Slide 38
Blocks: { ... } .....	Slide 39
Flow Control:    && .....	Slide 40
Input & Output .....	
Output: echo and printf .....	Slide 41

0-1

Debugging Shell Scripts—2 .....	Slide 63
Writing Shell Scripts .....	Slide 64
Useful External Programs—1 .....	Slide 65
Useful External Programs—2 .....	Slide 66
Regular Expressions .....	
Regular Expressions .....	Slide 67
What is In a RegEx? .....	Slide 68
Literal characters .....	Slide 69
Character Classes: [...] .....	Slide 70
[ ^ . * ] .....	Slide 71
Match Any Character .....	Slide 72
Match Start or End .....	Slide 73
Repetitions .....	Slide 74
Matching Alternatives:   .....	Slide 75
Examples .....	Slide 76
awk and sed .....	
Basic awk .....	Slide 77
What Does awk Do? .....	Slide 78
awk Examples .....	Slide 79
sed—the Stream Editor .....	Slide 80
sed—Backreferences .....	Slide 81
Backrefs Example .....	Slide 82
find .....	
find Examples .....	Slide 83
Finding SUID Programs .....	Slide 84

0-3

## Contents

Intro .....	
Aim .....	Slide 2
Why Shell Scripting? .....	Slide 3
Where to get more information .....	Slide 4
The Shell is an Interpreter .....	Slide 5
The Shebang .....	Slide 6
Making Executable .....	Slide 7
Quoting and Funny Chars .....	
Special Characters .....	Slide 8
Special Chars—2 .....	Slide 9
Special Chars—3 .....	Slide 10
Quoting .....	Slide 11
Quoting—2 .....	Slide 12
Quoting—When to use it? .....	Slide 13
Variables .....	
True and False .....	Slide 14
Variables—1 .....	Slide 15
Variables—Assignments .....	Slide 16
Variables—Local to Script .....	Slide 17
Variables—Unsetting Them .....	Slide 18
Command-line Parameters .....	Slide 19
Special Built-in Variables .....	Slide 20
Variables: use Braces \${...} .....	Slide 21

0-2

Input: the read Command .....	Slide 42
Split with set .....	Slide 43
More about set, and IFS .....	Slide 44
Example: Changing IFS .....	Slide 45
Command-line Parameters .....	
case Statement .....	Slide 46
case Statement: Example .....	Slide 47
shift Up .....	Slide 48
shift: Many Places .....	Slide 49
Command-Line Options—1 .....	Slide 50
Command-Line Options—2 .....	Slide 51
Command-Line Options—3 .....	Slide 52
getopts—4 .....	Slide 53
getopts—5 .....	Slide 54
Temporary Files, Signals .....	
Temporary Files: mktemp .....	Slide 55
Signals that Kill .....	Slide 56
Signals: trap .....	Slide 57
Signals: trap Example .....	Slide 58
Functions .....	
Functions .....	Slide 59
Parameters in Functions .....	Slide 60
Example, Calling a Function .....	Slide 61
Debugging .....	
Debugging Shell Scripts—1 .....	Slide 62

0-4

# Shell Programming—an Introduction

Copyright Conditions: Open Publication License (see <http://www.opencontent.org/openpub/>)

Nick Urbanik

nickur@nicku.org

A computing department

OSSI—ver. 1.12

Shell Programming - p. 186

## Aim

- After successfully working through this exercise, You will:
- write simple shell scripts using `for`, `if`, `while`, `case`, `getopts` statements;
  - write shell script functions, and be able to handle parameters;
  - understand basic regular expressions, and be able to create your own regular expressions;
  - understand how to execute and debug these scripts;
  - understand some simple shell scripts written by others.

OSSI—ver. 1.12

Shell Programming - p. 286

## Why Shell Scripting?

- Basic startup, shutdown of Linux, Unix systems uses large number of shell scripts
- understanding shell scripting important to understand and perhaps modify behaviour of system
- Very high level: powerful script can be very short
- Can build, test script incrementally
- Useful on the command line: “one liners”

OSSI—ver. 1.12

Shell Programming - p. 386

## Where to get more information

- the Library has two copies of the book, *Learning the Bash Shell*, second edition, by Cameron Newham & Bill Rosenblatt, O'Reilly, 1998.
- There is a free on-line book about shell programming at: <http://tldp.org/LDP/abs/html/index.html> and <http://tldp.org/LDP/abs/abs-guide.pdf>. It has hundreds of pages, and is packed with *examples*.
- The handy reference to shell programming is:  
\$ **pinfo bash**  
or  
\$ **man bash**
- **IMPORTANT:** `bash` provides simple on-line help for all built-in commands, e.g.,  
\$ **help let**

OSSI — ver. 1.12

Shell Programming - p. 4/86

## The Shell is an Interpreter

- Some languages are compiled: C, C++, Java,...
- Some languages are interpreted: Java bytecode, Shell
- Shell is an interpreter: kernel does not run shell program directly:
  - kernel runs the shell program `/bin/sh` with script file name as a parameter
  - the kernel cannot execute the shell script directly, as it can a binary executable file that results from compiling a C program

OSSI — ver. 1.12

Shell Programming - p. 5/86

## The Shebang

- You ask the Linux kernel to execute the shell script
- kernel reads first two characters of the executable file
  - If first 2 chars are “#!” then
  - kernel executes the name that follows, with the file name of the script as a parameter
- Example: a file called `find.sh` has this as the first line:  
#! /bin/sh
- then kernel executes this:  
/bin/sh find.sh
- What will happen in each case if an executable file begins with:
  - #! /bin/rm
  - #! /bin/ls

OSSI — ver. 1.12

Shell Programming - p. 6/86

## Making the script executable

To easily execute a script, it should:

- be on the `PATH`
  - have execute permission.
- How to do each of these?
- Red Hat Linux by default, includes the directory `~/bin` on the `PATH`, so create this directory, and put your scripts there:  
\$ **mkdir ~/bin**
  - If your script is called `script`, then this command will make it executable:  
\$ **chmod +x script**

OSSI — ver. 1.12

Shell Programming - p. 7/86

## Special Characters

- Many characters are *special* to the shell, and have a particular meaning to the shell.

Character	Meaning	See slide
~	Home directory	§ 7
`	Command substitution. Better: <code>\$(...)</code>	§ 24
#	Comment	
\$	Variable expression	§ 15
&	Background Job	2.10 on page 41
*	File name matching wildcard	2.18 on page 49
	Pipe	2.9 on page 40

OSSI — ver. 1.12

Shell Programming - p. 8/86

## Special Characters—continued: 2

Character	Meaning	See slide
(	Start subshell	§ 45, 17, 39
)	End subshell	§ 45, 17, 39
[	Start character set file name matching	2.9 on page 40
]	End character set file name matching	2.9 on page 40
{	Start command block	§ 39
;	Command separator	§ 40
\	Quote next character	§ 23
'	Strong quote	§ 23
"	Weak quote	§ 23

OSSI — ver. 1.12

Shell Programming - p. 9/86

## Special Characters—continued: 3

Character	Meaning	See slide
<	Input redirect	2.7 on page 38
>	Output redirect	2.6 on page 37
/	Pathname directory separator	
?	Single-character match in filenames	2.18 on page 49
!	Pipeline logical NOT	§ 28
(space or tab)	shell normally splits at white space	§ 44

- Note that references to pages in the tables above refer to the modules in the workshop notes

OSSI — ver. 1.12

Shell Programming - p. 10/86

## Quoting

- Sometimes you want to use a special character *literally*; i.e., without its special meaning.
- Called *quoting*
- Suppose you want to print the string: `2 * 3 > 5` is a valid inequality?
- If you did this:  
\$ **echo 2 \* 3 > 5** is a valid inequality  
the new file '5' is created, containing the character '2', then the names of all the files in the current directory, then the string "3 is a valid inequality".

OSSI — ver. 1.12

Shell Programming - p. 11/86

## Quoting—2

- To make it work, you need to protect the special characters '\*' and '>' from the shell by quoting them. There are three methods of quoting:
  - Using double quotes ("weak quotes")
  - Using single quotes ("strong quotes")
  - Using a backslash in front of each special character you want to quote
- This example shows all three:

```
$ echo "2 * 3 > 5 is a valid inequality"
$ echo '2 * 3 > 5 is a valid inequality'
$ echo 2 \* 3 \> 5 is a valid inequality
```

OSSI — ver. 1.12

Shell Programming - p. 12/86

## Quoting—When to use it?

- Use quoting when you want to pass special characters to another program.
- Examples of programs that often use special characters:
  - find, locate, grep, expr, sed and echo
- Here are examples where quoting is required for the program to work properly:

```
$ find . -name \*.jpg
$ locate '/usr/bin/c*'
$ grep 'main.*( ' *.c
$ i=$(expr i \* 5)
```

OSSI — ver. 1.12

Shell Programming - p. 13/86

## True and False

- Shell programs depend on executing external programs
- When any external program execution is successful, the exit status is zero, 0
- An error results in a non-zero error code
- To match this, in shell programming:
  - The value 0 is true
  - any non-zero value is false
- This is opposite from other programming languages

OSSI — ver. 1.12

Shell Programming - p. 14/86

## Variables—1

- Variables not declared; they just appear when assigned to
- Assignment:
  - no dollar sign
  - no space around equals sign
  - examples:

```
$ x=10 # correct
$ x = 10 # wrong: try to execute program called "x"
```
- Read value of variable:
  - put a '\$' in front of variable name
  - example:

```
$ echo "The value of x is $x"
```

OSSI — ver. 1.12

Shell Programming - p. 15/86

## Variables—Assignments

- You can put multiple assignments on one line:

```
i=0 j=10 k=100
```
- You can set a variable temporarily while executing a program:

```
$ echo $EDITOR
emacsclient
$ EDITOR=gedit crontab -e
$ echo $EDITOR
emacsclient
```

OSSI — ver. 1.12

Shell Programming - p. 16/86

## Variables—Local to Script

- Variables disappear after a script finishes
- Variables created in a sub shell disappear
  - parent shell cannot read variables in a sub shell
  - example:

```
$ cat variables
#!/bin/sh
echo $HOME
HOME=happy
echo $HOME
$ ./variables
/home/nicku
happy
$ echo $HOME
/home/nicku
```

OSSI — ver. 1.12

Shell Programming - p. 17/86

## Variables—Unsetting Them

- You can make a variable hold the null string by assigning it to nothing, but it does not disappear totally:

```
$ VAR=
$ set | grep '^VAR'
VAR=
```
- You can make it disappear totally using **unset**:

```
$ unset VAR
$ set | grep '^VAR'
```

OSSI — ver. 1.12

Shell Programming - p. 18/86

## Command-line Parameters

- Command-line parameters are called \$0, \$1, \$2, ...
- Example: when call a shell script called "shell-script" like this:

```
$ shell-script param1 param2 param3 param4
```

variable	value
\$0	shell-script
\$1	param1
\$2	param2
\$3	param3
\$4	param4
\$#	number of parameters to the program, e.g., 4

- Note: these variables are read-only.

OSSI — ver. 1.12

Shell Programming - p. 19/86

## Special Built-in Variables

- Both `$@` and `$*` are a list of all the parameters.
- The only difference between them is when they are quoted in quotes—see manual page for `bash`
- `$?` is exit status of last command
- `$$` is the process ID of the current shell
- Example shell script:

```
#!/bin/sh
echo $0 is the full name of this shell script
echo first parameter is $1
echo first parameter is $2
echo first parameter is $3
echo total number of parameters is $#
echo process ID is $$
```

OSSI — ver. 1.12

Shell Programming - p. 20/86

## Variables: use Braces `${...}`

- It's good to put braces round a variable name when getting its value
- Then no problem to join its value with other text:

```
$ test=123
$ echo ${test}
123
# No good, variable $test456 is undefined:
$ echo $test456

$ echo ${test}456
123456
```

OSSI — ver. 1.12

Shell Programming - p. 21/86

## Braces and Parameters after `$9`

- Need braces to access parameters after `$9`:

```
$ cat paramten
#!/bin/sh
echo $10
echo ${10}
$ ./paramten a b c d e f g h i j
a0
j
```
- Notice that `$10` is the same as `${1}0`, i.e., the first parameter “a” then the literal character zero “0”

OSSI — ver. 1.12

Shell Programming - p. 22/86

## More about Quoting

- **Double quotes:** “...” stop the special behaviour of all special characters, except for:
  - variable interpretation (`$`)
  - backticks (```) — see slide 24
  - the backslash (`\`)
- **Single quotes:** ‘...’:
  - stop the special behaviour of *all* special characters
- **Backslash:**
  - preserves literal behaviour of character, except for newline; see slides `$29`, `$31`, `$35`
  - Putting “\” at the end of the line lets you continue a long line on more than one physical line, but the shell will treat it as if it were all on one line.

OSSI — ver. 1.12

Shell Programming - p. 23/86

## Command Substitution — `$(...)` or ``...``

- Enclose command in `$(...)` or backticks: ``...``
- Means, “Execute the command in the `$(...)` and put the output back here.”
- Here is an example using **expr**:

```
$ expr 3 + 2
5
$ i=expr 3 + 2 # error: try execute command `3`
$ i=$(expr 3 + 2) # correct
$ i=`expr 3 + 2` # also correct
```

OSSI — ver. 1.12

Shell Programming - p. 24/86

## Command Substitution—Example

- We want to put the *output of the command* `hostname` into a *variable*:

```
$ hostname
nickpc.tyict.vtc.edu.hk
$ h=hostname
$ echo $h
hostname
```
- Oh dear, we only stored the *name* of the command, not the *output* of the command!
- **Command substitution** solves the problem:

```
$ h=$(hostname)
$ echo $h
nickpc.tyict.vtc.edu.hk
```
- We put `$(...)` around the command. You can then assign the output of the command.

OSSI — ver. 1.12

Shell Programming - p. 25/86

## Conditions—String Comparisons

- All programming languages depend on *conditions* for `if` statements and for `while` loops
- Shell programming uses a built-in command which is either `test` or `[...]`
- Examples of *string* comparisons:

```
[ "$USER" = root ] # true if the value of $USER is "root"
[ "$USER" != root ] # true if the value of $USER is not "root"
[ -z "$USER" ] # true if the string "$USER" has zero length
[ string1 < string2 ] # true if string1 sorts less than string2
[ string1 > string2 ] # true if string1 sorts greater than string2
```
- Note that we need to quote the `>` and the `<` to avoid interpreting them as file redirection.
- **Note:** the spaces after the “[” and before the “]” are *essential*.
- Also spaces are *essential* around operators

OSSI — ver. 1.12

Shell Programming - p. 26/86

## Conditions—Integer Comparisons

- Examples of *numeric* integer comparisons:

```
[ "$x" -eq 5 ] # true if the value of $x is 5
[ "$x" -ne 5 ] # true if integer $x is not 5
[ "$x" -lt 5 ] # true if integer $x is < 5
[ "$x" -gt 5 ] # true if integer $x is > 5
[ "$x" -le 5 ] # true if integer $x is ≤ 5
[ "$x" -ge 5 ] # true if integer $x is ≥ 5
```
- Note again that the spaces after the “[” and before the “]” are *essential*.
- Also spaces are *essential* around operators

OSSI — ver. 1.12

Shell Programming - p. 27/86

## Conditions—File Tests, NOT Operator

- The shell provides many tests of information about *files*.
- Do `man test` to see the complete list.
- Some examples:

```
$ [ -f file ] # true if file is an ordinary file
$ [ ! -f file ] # true if file is NOT an ordinary file
$ [ -d file ] # true if file is a directory
$ [ -u file ] # true if file has SUID permission
$ [ -g file ] # true if file has SGID permission
$ [ -x file ] # true if file exists and is executable
$ [ -r file ] # true if file exists and is readable
$ [ -w file ] # true if file exists and is writeable
$ [ file1 -nt file2 ] # true if file1 is newer than file2
```
- **Note again:** the spaces after the “[” and before the “]” are essential.
- Also spaces are essential around operators

OSSI—ver. 1.12

Shell Programming - p. 28/86

## Conditions—Combining Comparisons

- Examples of *combining comparisons* with AND: `-a` and OR: `-o`, and *grouping* with `\( . . . \)`

```
# true if the value of $x is 5 AND $USER is not equal to root:
[ "$x" -eq 5 -a "$USER" != root ]
# true if the value of $x is 5 OR $USER is not equal to root:
[ "$x" -eq 5 -o "$USER" != root ]
# true if (the value of $x is 5 OR $USER is not equal to root) AND
# ( $y > 7 OR $HOME has the value happy )
[ \ ( "$x" -eq 5 -o "$USER" != root \) -a \
  \ ( "$y" -gt 7 -o "$HOME" = happy \) ]
```
- Note again that the spaces after the “[” and before the “]” are essential.
- Do `man test` to see the information about all the operators.

OSSI—ver. 1.12

Shell Programming - p. 29/86

## Arithmetic Assignments

- Can do with the external program `expr`
  - ... but `expr` is not so easy to use, although it is very standard and *portable*: see `man expr`
  - Easier is to use the built in `let` command
    - see `help let`
  - Examples:

```
$ let x=1+4
$ let ++x # Now x is 6
$ let x='1 + 4'
$ let 'x = 1 + 4'
$ let x="(2 + 3) * 5" # now x is 25
$ let "x = 2 + 3 * 5" # now x is 17
$ let "x += 5" # now x is 22
$ let "x = x + 5" # now x is 27; NOTE NO $
```
  - Notice that you do not need to quote the special characters with `let`.
  - Quote if you want to use white space.
  - Do not put a dollar in front of variable, even on right side of assignment; see last example.

OSSI—ver. 1.12

Shell Programming - p. 30/86

## Arithmetic Expressions with `$( ( . . . ) )`

- The shell interprets anything inside `$( ( . . . ) )` as an arithmetic expression
- You could calculate the number of days left in the year like this:

```
$ echo "There are \
$( ( 365-$(date +%j) ) / 7 ) weeks \
left till December 31"
```
- No dollar sign in front of variables in these arithmetic expressions.

OSSI—ver. 1.12

Shell Programming - p. 31/86

## Arithmetic Conditions with `(( . . . ))`

- A (less portable) alternative to the arithmetic conditions in slide 27 is putting the expression in `(( . . . ))`
- So you can do `(( (3>2) && (4<=1) ))` instead of `[ \ ( 3 -gt 2 \) -a \ ( 4 -le 1 \) ]`
- Operators that work with `let`, `$( ( . . . ) )` and `(( . . . ))` include:

```
++ -- **
+ - * / % << >> & | ~ ! ^
< > <= >= == !=
? :
```

which have *exactly* the same effect as in the C programming language
  - except exponentiation operator `**`, i.e., `echo $( (2**20) )` prints the value of  $2^{20}$ , i.e.,

OSSI—ver. 1.12

Shell Programming - p. 32/86

## while Statement

- Syntax:

```
while (test-commands)
do
    (loop-body-statements)
done
```
- Example:

```
i=0
while [ "$i" -lt 10 ]
do
    echo -n "$i " # -n suppresses newline.
    let "i = i + 1" # i=$(expr $i + 1) also works
done
```

OSSI—ver. 1.12

Shell Programming - p. 34/86

## if Statement

- Syntax:

```
if (test-commands)
then
    (statements-if-test-commands-1-true)
elif (test-commands-2)
then
    (statements-if-test-commands-2-true)
else
    (statements-if-all-test-commands-false)
fi
```
- Example:

```
if grep nick /etc/passwd > /dev/null 2>&1
then
    echo Nick has a local account here
else
    echo Nick has no local account here
fi
```

OSSI—ver. 1.12

Shell Programming - p. 33/86

## for Statement

- Syntax:

```
for (name) in (words)
do
    (loop-body-statements)
done
```
- Example:

```
for planet in Mercury Venus Earth Mars \
Jupiter Saturn Uranus Neptune Pluto
do
    echo $planet
done
```

  - The backslash “\” quotes the newline. It’s just a way of folding a long line in a shell script over two or more lines.

OSSI—ver. 1.12

Shell Programming - p. 35/86

## for Loops: Another Example

- Here the shell turns \*.txt into a list of file names ending in ".txt":

```
for i in *.txt
do
    echo $i
    grep 'lost treasure' $i
done
```
- You can leave the `in` (*words*) out; in that case, (*name*) is set to each parameter in turn:

```
i=0
for parameter
do
    let 'i = i + 1'
    echo "parameter $i is $parameter"
done
```

OSSI—ver. 1.12

Shell Programming - p. 36/86

## for Loops: second, C-like syntax

- There is a second (less frequently used, and less portable) C-like **for** loop syntax:

```
for (( expr1 ); (expr2) ; (expr3) ))
do
    (loop-body-statements)
done
```
- Rules: same as for arithmetic conditions—see slide 32
- Example:

```
for (( i = 0; i < 10; ++i ))
do
    echo $i
done
```

OSSI—ver. 1.12

Shell Programming - p. 37/86

## break and continue

- Use inside a loop
- Work like they do in C
- break** terminates the innermost loop; execution goes on after the loop
- continue** will skip the rest of the body of the loop, and resume execution on the next iteration of the loop.

OSSI—ver. 1.12

Shell Programming - p. 38/86

## Blocks: { ... }

- A *subshell* is one way of grouping commands together, but it starts a new process, and any variable changes are localised
- An alternative is to group commands into a *block*, enclosing a set of commands in braces: `{ ... }`
- Useful for grouping commands for *file input* or *output*
  - ... though variables are not localised
- See next slide for another application.

OSSI—ver. 1.12

Shell Programming - p. 39/86

## Error Handling: ||, && and exit

- Suppose we want the user to provide exactly two parameters, and exit otherwise
- A common method of handling this is something like:

```
[ $# -eq 2 ] || { echo "Need two parameters"; exit 1; }
```
- Read this as “the number of parameters is two OR exit”
- Works because this logical OR uses short-circuit Boolean evaluation; the second statement is executed only if the first fails (is false)
- Logical AND “&&” can be used in the same way; the second statement will be executed only if the first is successful (true)
- A note about blocks: must have semicolon “;” or newline at end of last statement before closing brace

OSSI—ver. 1.12

Shell Programming - p. 40/86

## Output: echo and printf

- To perform output, use `echo`, or for more formatting, **printf**.
- Use `echo -n` to print no newline at end.
- Just `echo` by itself prints a newline
- `printf` works the same as in the C programming language, except no parentheses or commas:

```
$ printf "%16s\t%8d\n" $my_string $my_number
```
- Do `man printf` (or look it up in the `bash` manual page) to read all about it.

OSSI—ver. 1.12

Shell Programming - p. 41/86

## Input: the read Command

- For input, use the built-in shell command **read**
- `read` reads standard input and puts the result into one or more variables
- If use one variable, variable holds the whole line
- Syntax:

```
read (var1)...
```
- Often used with a `while` loop like this:

```
while read var1 var2
do
    # do something with $var1 and $var2
done
```
- Loop terminates when reach end of file
- To prompt and read a value from a user, you could do:

```
while [ -z "$value" ]; do
    echo -n "Enter a value: "
```

OSSI—ver. 1.12

Shell Programming - p. 42/86

## set: Splitting a Multi-Word Variable

- Sometimes may want to split a multi-word variable into single-word variables
- `read` won't work like this:

```
MY_FILE_INFO=$(ls -lR | grep $file)
# ...
echo $MY_FILE_INFO | read perms links \
user group size month day time filename
```
- Use the builtin command **set** instead:

```
MY_FILE_INFO=$(ls -lR | grep $file)
# ...
set $MY_FILE_INFO
perms=$1 links=$2 user=$3 group=$4 size=$5
month=$6 day=$7 time=$8 filename=$9
```

OSSI—ver. 1.12

Shell Programming - p. 43/86

## More about set, and IFS

- `set` splits its arguments into pieces (usually) at whitespace
- It sets the first value as `$1`, the second as `$2`, and so on.
- Note that you can change how `set` and the shell splits things up by changing the value of a special variable called `IFS`
- `IFS` stands for *Internal Field Separator*
- Normally the value of `IFS` is the string “`{space}{tab}{newline}`”
- Next slide shows how changing `IFS` to a colon let us easily split the `PATH` into separate directories: ↔ next slide

OSSI — ver. 1.12

Shell Programming - p. 44/86

## Example: Changing IFS

- Notice that here, I make the change to `IFS` in a subshell. I have simply typed the loop at the prompt.
- As I said in slide 17, changes in a subshell are local to the subshell:

```
$ echo $PATH
/usr/bin:/bin:/usr/X11R6/bin:/home/nicku/bin
$ (IFS=:
> for dir in $PATH
> do
>   echo $dir
> done
> )
/usr/bin
/bin
/usr/X11R6/bin
/home/nicku/bin
```

OSSI — ver. 1.12

Shell Programming - p. 45/86

## case Statement

- Similar to the `switch` statement in C, but more useful and more general
- Uses pattern matching against a string to decide on an action to take
- Syntax:

```
case (expression) in
  (pattern1) )
    (statements) ;;
  (pattern2) )
    (statements) ;;
  ...
esac
```

OSSI — ver. 1.12

Shell Programming - p. 46/86

## case Statement: Example

- This example code runs the appropriate program on a graphics file, depending on the file extension, to convert the file to another format:

```
case $filename in
  *.tif)
    tiff2png $filename > $ppmfile
    ;;
  *.jpg)
    tjpeg $filename > $ppmfile
    ;;
  *)
    echo -n "Sorry, cannot handle this "
    echo "graphics format"
    ;;
esac
```

OSSI — ver. 1.12

Shell Programming - p. 47/86

## shift: Move all Parameters Up

- Sometimes we want to process command-line parameters in a loop
- The `shift` statement is made for this
- Say that we have four parameters:

parameter	value	parameter	value
<code>\$1</code>	one	<code>\$3</code>	three
<code>\$2</code>	two	<code>\$4</code>	four

- Then after executing the `shift` statement, the values are now:

parameter	value	parameter	value
<code>\$1</code>	OSSI — ver. 1.12	<code>\$3</code>	four

## Command-Line Options—1

- Sometimes we want to modify the behaviour of a shell script
  - For example, want an *option* to show more information on request
  - could use an option “`-v`” (for “verbose”) to tell the shell script that we want it to tell us more information about what it is doing
  - If script is called `showme`, then we could use our `-v` option like this:  
`$ showme -v`
  - the script then shows more information.

OSSI — ver. 1.12

Shell Programming - p. 50/86

## shift: Many Places

- You can give a number argument to `shift`:
  - If before, we have four parameters:

parameter	value	parameter	value
<code>\$1</code>	one	<code>\$3</code>	three
<code>\$2</code>	two	<code>\$4</code>	four

- After executing the statement:  
`$ shift 2`  
we have two parameters left:

parameter	value	parameter	value
<code>\$1</code>	three	<code>\$3</code>	no longer exists
<code>\$2</code>	four	<code>\$4</code>	no longer exists

## Command-Line Options—2

- For example, We might provide an option to give a starting point for a script to search for SUID programs
- Could make the option `-d <directory>`
- If script is called `findsuid`, could call it like this:  
`$ findsuid -d /usr`  
to tell the script to start searching in the directory `/usr` instead of the current directory

OSSI — ver. 1.12

Shell Programming - p. 51/86

## Command-Line Options—3

- We could do this using `shift`, a `while` loop, and a `case` statement, like this:

```
while [ -n "$(echo $1 | grep '-')" ]
do
  case $1 in
    -v) VERBOSE=1 ;;
    -d)
      shift
      DIRECTORY=$1
      ;;
    *) echo "usage: $0 [-v] [-d dir]"
      exit 1 ;;
  esac
  shift
done
```

OSSI — ver. 1.12

Shell Programming - p. 52/86

## getopts: Command-Line Options—4

- Problems with above solution: inflexibility:
  - Does not allow options to be “bundled” together like `-abc` instead of `-a -b -c`
  - Requires a space between option and its argument, i.e., doesn't let you do `-d/etc` as well as `-d /etc`
  - Better method: use the built-in command **getopts**:

```
while getopts ":vd:" opt
do
  case opt in
    v) VERBOSE=1 ;;
    d) DIRECTORY=$OPTARG ;;
    *) echo "usage: $0 [-v] [-d dir]"
      exit 1 ;;
  esac
done
shift $((OPTIND - 1))
```

OSSI — ver. 1.12

Shell Programming - p. 53/86

## getopts: Command-Line Options—5

- `getopts` takes two arguments:
  - first comes the string that can contain letters and colons.
    - Each letter represents one option
    - A colon comes after a letter to indicate that option takes an argument, like `-d directory`
    - A colon at the beginning makes `getopts` less noisy, so you can provide your own error message, as shown in the example.
  - The second is a variable that will hold the option (without the hyphen “-”)
- Shift out all processed options using the variable `OPTIND`, leaving any other arguments accessible
- Search for `getopts` in the `bash` man page

OSSI — ver. 1.12

Shell Programming - p. 54/86

## Temporary Files: mktmp

- Sometimes it is convenient to store temporary data in a temporary file
- The **mktmp** program is designed for this
- We use it something like this:

```
TMPFILE=$(mktmp /tmp/tmp.XXXXXX) || exit 1
```
- `mktmp` will create a new file, replacing the “XXXXXX” with a random string
- Do `man mktmp` for the complete manual.

OSSI — ver. 1.12

Shell Programming - p. 55/86

## Signals that may Terminate your Script

- Many key strokes will send a *signal* to a process
- Examples:
  - **Control-C** sends a `SIGINT` signal to the current process running in the foreground
  - **Control-** sends a `SIGQUIT` signal
- When you log out, all your processes are sent a `SIGHUP` (hangup) signal
- If your script is connected to another process that terminates unexpectedly, it will receive a `SIGPIPE` signal
- If anyone terminates the program with the `kill` program, the default signal is `SIGTERM`

OSSI — ver. 1.12

Shell Programming - p. 56/86

## Signals: trap

- Sometimes you want your script to clean up after itself nicely, and remove temporary files
- Do this using **trap**

OSSI — ver. 1.12

Shell Programming - p. 57/86

## Signals: trap Example

- Suppose your script creates some temporary files, and you want to remove them if your script receives any of these signals
- You can “catch” the signal, and remove the files when the signals are received before the program terminates
- Suppose the temporary files have names stored in the variables `TEMP1` and `TEMP2`
- Then you would trap these signals like this:

```
trap "rm $TEMP1 $TEMP2" HUP INT QUIT PIPE TERM
```
- Conveniently, (but not very portably), `bash` provides a “pretend” signal called `EXIT`; can add this to the list of signals you trap, so that the temporary files will be removed when the program exits normally.

OSSI — ver. 1.12

Shell Programming - p. 58/86

## Functions

- The shell supports functions and function calls
- A function works like an external command, except that it does not start another process
- Syntax:

```
function <functionname>
{
  <shell commands>
}
Or:
<functionname> ()
{
  <shell commands>
}
```

OSSI — ver. 1.12

Shell Programming - p. 59/86



## Parameters in Functions

- Work the same as parameters to entire shell script
- First parameter is \$1, second is \$2, ..., the tenth parameter is \${10}, and so on.
- \$# is the number of parameters passed to the function
- As with command line parameters, they are read-only
- Assign to meaningful names to make your program more understandable

OSSI — ver. 1.12

Shell Programming - p. 60/86

## Example, Calling a Function

- This is a simple example program:

```
#!/bin/sh

function cube {
    echo $(( $1 * $1 * $1 ))
}

j=$(cube 5)
echo $j      # Output is 125
```
- Note the use of *command substitution to get a return value*
- The *function prints result to standard output*.

OSSI — ver. 1.12

Shell Programming - p. 61/86

## Debugging Shell Scripts—1

- If you run the script with:

```
$ sh -v <script>
```

then each statement will be printed as it is executed
- If you run the script with:

```
$ sh -x <script>
```

then an execution trace will show the value of all variables as the script executes.

OSSI — ver. 1.12

Shell Programming - p. 62/86

## Debugging Shell Scripts—2

- Use `echo` to display the value of variables as the program executes
- You can turn the `-x` shell option on in any part of your script with the line:

```
set -x
```

and turn it *off* with:

```
set +x
```

  - No, that's not a typo: `+x` turns it *off*, `-x` turns it *on*.
- The book *Learning the bash Shell* includes a `bash` shell debugger if you get desperate

OSSI — ver. 1.12

Shell Programming - p. 63/86

## Writing Shell Scripts

- Build your shell script *incrementally*:
  - Open the *editor* in one window (*and leave it open*), have a terminal window open in which to *run your program as you write it*
  - *Test as you implement*: this makes shell script development *easy*
  - Do *not* write a very complex script, and *then* begin testing it!
- Use the standard software engineering practice you know:
  - Use *meaningful* variable names, function names
  - Make your program *self-documenting*
  - Add *comment blocks* to explain obscure or difficult parts of your program

OSSI — ver. 1.12

Shell Programming - p. 64/86

## Useful External Programs—1

- Each of these has a manual page, and many have info manuals. Read their online documentation for more information.
- `awk` — powerful tool for processing columns of data
  - `basename` — remove directory and (optionally) extension from file name
  - `cat` — copy to standard output
  - `cut` — process columns of data
  - `du` — show disk space used by directories and files
  - `egrep`, `grep` — find lines containing patterns in files
  - `find` — find files using many criteria

OSSI — ver. 1.12

Shell Programming - p. 65/86

## Useful External Programs—2

- `last` — show the last time a user was logged in
- `lastb` — show last bad log in attempt by a user
- `rpm` — RPM package manager: manage software package database
- `sed` — stream editor: edit files automatically
- `sort` — sort lines of files by many different criteria
- `tr` — translate one set of characters to another set
- `uniq` — replace repeated lines with just one line, optionally with a count of the number of repeated lines

OSSI — ver. 1.12

Shell Programming - p. 66/86

## Regular Expressions

- Many programs and programming languages use *regular expressions*, including `Java` 1.4 and later, `Perl`, `VB.NET`, `C#` (and any language using the .NET Framework), `PHP`, `Python`, `Ruby`, `Tcl` and `MySQL` (plus many others; even `MS Word` uses regular expressions under `Edit` → `Find` → `More` → `Use wildcards`)
- These programs use regular expressions:
  - `grep`, `egrep`, `sed`, `awk`
- All programmer's editors support regular expressions (`Emacs`, `vi`, ...)
- *Regular expressions* provide a *powerful language* for *manipulating data* and *extracting important information* from masses of data

OSSI — ver. 1.12

Shell Programming - p. 67/86

## What is In a Regular Expression?

- There are two types of character in a regular expression:
  - Metacharacters**
    - These include:
      - \* \ . + ? ^ ( ) [ { |
  - Ordinary, **literal** characters:
    - i.e., all the other characters that are not metacharacters

OSSI — ver. 1.12

Shell Programming - p. 68/86

## Character Classes: [ . . . ]

- A character class represents *one* character
- Examples:
  - Find all words in the dictionary that contain a vowel:

```
$ grep "[aeiou]" /usr/share/dict/words
```
  - Find all lines that contain a digit:

```
$ grep "[0123456789]" /usr/share/dict/words
```
  - Find all lines that contain a digit:

```
$ grep "[0-9]" /usr/share/dict/words
```
  - Find all lines that contain a capital letter:

```
$ grep "[A-Z]" /usr/share/dict/words
```

OSSI — ver. 1.12

Shell Programming - p. 70/86

## Match Any Character

- The dot "." matches *any single character*, except a newline.
- The pattern '.....' matches all lines that contain at least five characters

OSSI — ver. 1.12

Shell Programming - p. 72/86

## Match Repetitions: \*, ?, +, {n}, {n, m}

- To match *zero* or more:
  - a\* represents zero or more of the lower case letter a, so the pattern will match "" (the empty string), "a", "aa", "aaaaaaaaaaaaaaaa", "qwewtrryu" or the "nothing" in front of any string!
- To match *one* or more:
  - 'a+' matches one or more "a"s
  - 'a?' matches zero or one "a"
  - 'a{10}' matches exactly 10 "a"s
  - 'a{5, 10}' matches between 5 and 10 (inclusive) "a"s

OSSI — ver. 1.12

Shell Programming - p. 74/86

## Literal characters

- Find all lines containing "chan" in the password file:

```
$ grep chan /etc/passwd
```
- The *regular expression* is "chan"
- It is made entirely of literal characters
- It matches only lines that contain the *exact* string
- It will match lines containing the words chan, changed, merchant, mechanism,...

OSSI — ver. 1.12

Shell Programming - p. 69/86

## Negated Character Classes: [^ . . . ]

- Examples of negated character classes:
  - Find all words in the dictionary that contain a character that is not a vowel:

```
$ grep "[^aeiou]" /usr/share/dict/words
```
  - Two ways of finding all lines that contain a character that is not a digit:

```
$ grep "[^0123456789]" /usr/share/dict/words
```

```
$ grep "[^0-9]" /usr/share/dict/words
```
  - Find all lines that contain a character that is not a digit, or a letter:

```
$ grep "[^0-9a-zA-Z]" /usr/share/dict/words
```
- Remember: each set of square brackets represents exactly *one* character.

OSSI — ver. 1.12

Shell Programming - p. 71/86

## Matching the Beginning or End of Line

- To match a line that contains exactly five characters:

```
$ grep '^.....$' /usr/share/dict/words
```
- The hat, ^ represents the *position* right at the *start* of the line
- The dollar \$ represents the *position* right at the *end* of the line.
- Neither ^ nor \$ represents a character
- They represent a *position*
- Sometimes called *anchors*, since they anchor the other characters to a specific part of the string

OSSI — ver. 1.12

Shell Programming - p. 73/86

## Matching Alternatives: "|"

- the vertical bar represents alternatives:
  - The regular expression 'nick|albert|alex' will match either the string "nick" or the string "albert" or the string "alex"
  - Note that the vertical bar has very low precedence:
    - the pattern '^fred|nurk' matches "fred" only if it occurs at the start of the line, while it will match "nurk" at any position in the line

OSSI — ver. 1.12

Shell Programming - p. 75/86

## Putting it All Together: Examples

- Find all words that contain at least three 'a's:  

```
$ egrep 'a.*a.*a' /usr/share/dict/words
```
- Why is this different from  

```
$ egrep 'aaa' /usr/share/dict/words
```
- Find all words that begin in 'a' and finish in 'z', ignoring case:  

```
$ egrep -i '^a.*z$' /usr/share/dict/words
```
- How is this different from:  

```
$ egrep -i '^a.*z' /usr/share/dict/words
```
- Find all words that contain at least two vowels:  

```
$ grep '[aeiou].*[aeiou]' /usr/share/dict/words
```
- Find all words that contain *exactly* two vowels:  

```
$ egrep \
'^[aeiou]*[aeiou][^aeiou]*[aeiou][^aeiou]*$' \
/usr/share/dict/words
```
- Find all lines that are empty or contain only spaces:

## What Does awk Do?

- awk reads file(s) or standard input *one line at a time*, and automatically *splits the line into fields*, and calls them \$1, \$2, ..., \$NF
- NF is equal to the *number of fields* the line was split into
- \$0 contains the *whole line*
- awk has an option -F that allows you to select another pattern as the *field separator*
  - Normally awk splits *columns* by *white space*
- To execute code after all lines are processed, create an *END block*.

## Basic awk

- awk is a complete programming language
- Mostly used for one-line solutions to problems of *extracting columns of data* from text, and processing it
- A complete book is available on awk; you can buy it here: <http://www.oreilly.com/catalog/awkprog3/> or
- read it on your computer, as it is the official manual for gawk (GNU awk); do  

```
$ info gawk
```

or read it in Emacs.
- A printable postscript file of the book (353 pages) is on my computer at  
`/usr/share/doc/gawk-3.1.3/gawk.ps`

## awk Examples

- Print the sizes of all files in current directory:  

```
ls -l | awk '{print $5}'
```
- Add the sizes of all files in current directory:  

```
ls -l | awk '{sum += $5} END{print sum}'
```
- Print only the permissions, user, group and file names of files in current directory:  

```
ls -l | awk '{print $1, $3, $4, $NF}'
```

## sed—the Stream Editor

- sed provides many facilities for editing files
- The *substitute* command, `s///`, is the most important
- The syntax (using sed as an editor of standard input), is:  

```
$ sed 's/<original>/<replacement>/'
```
- Example: replace the first instance of Windows with Linux on each line of the input:  

```
sed 's/Windows/Linux/'
```
- Example: replace *all* instances of Windows with Linux on each line of the input:  

```
sed 's/Windows/Linux/g'
```

  - Note: by default, sed uses “basic regular expressions”, which require a backslash ‘\’ in front of the metacharacters ‘{’, ‘(’, ‘)’, ‘|’, ‘+’ and ‘?’.
  - To use “extended regular expressions” (which we covered here), call sed with the option -E, as in this example:

## sed—Backreferences: Example

- If you do  

```
$ find /etc | xargs file -b
```

you will get a lot of output like this:  
symbolic link to bg5ps.conf.zh\_TW.Big5  
symbolic link to rc.d/rc.local  
symbolic link to rc.d/rc  
symbolic link to rc.d/rc.sysinit  
symbolic link to ../../X11/xdm/Xservers
- If you want to edit each line to remove everything after “symbolic link”, then you could pipe the data through sed like this:  

```
$ find /etc | xargs file -b \
| sed -r 's/(symbolic link).*/\1/'
```
- See slide 83 for an application

## sed—Backreferences

- You can match part of the *<original>* in a sed -r substitute command, and put that part back into the replacement part.
- You enclose the part you want to refer to later in (...)
- You can get the first value in the replacement part by \1, the second opening parenthesis of (...) by \2, and so on.

## find Examples

- Count the number of unique manual pages on the computer:  

```
$ find /usr/share/man -type f | wc -l
```
- Print a table of types of file under the /etc directory, with the most common file type down at the bottom:  

```
$ find /etc | xargs file -b \
| sed -r 's/(symbolic link).*/\1/' \
| sort \
| uniq -c \
| sort -n
```

## Finding SUID Programs

- Finding SUID or SGID files:  

```
$ sudo find / -type f \  
\( perm -2000 -o -perm -4000 \) \  
> files.secure
```
- Let's compare with a list of SUID and SGID files to see if there are any changes, since SUID and SGID programs can be a *security risk*:  

```
$ sudo find / -type f \  
\( perm -2000 -o -perm -4000 \) \  
| diff - files.secure
```

OSSI — ver. 1.12

Shell Programming - p. 84/86

## A find Example with Many Options

- Set all directories to have the access mode 771, set all backup files (\*.BAK) to mode 600, all shell scripts (\*.sh) to mode 755, and all text files (\*.txt) to mode 644:  

```
$ find . \( -type d -a exec chmod 771 {} \; \) -o \  
\( -name "*.BAK" -a exec chmod 600 {} \; \) -o \  
\( -name "*.sh" -a exec chmod 755 {} \; \) -o \  
\( -name "*.txt" -a exec chmod 644 {} \; \)
```

OSSI — ver. 1.12

Shell Programming - p. 85/86

## rpm Database Query Commands

- The `rpm` software package management system includes a database with very detailed information about every file of every software package that is installed on the computer.
- You can query this database using the `rpm` command.
- The manual page does not give the complete picture, but there is a book called *Maximum RPM* that comes on the Red Hat documentation CD
- This package is installed on `ictlab`
- You can see the appropriate section at this URL:

<http://nicku.org/doc/maximum-rpm-1.0/html/s1-rpm-query-parts.html>

OSSI — ver. 1.12

Shell Programming - p. 86/86