



Quiz 7: Shell Programming

Do not refer to any printed material.

No talking or discussion is allowed until the answer sheets are all collected.

Review:

1. Here are two arithmetic conditions that are to be used with an `if` statement:

```
[ $i -lt 5 ]                ((i<5))
```

- (A) Both are correct
 - (B) The first is correct but the second is not because the '\$' is missing before the 'i'
 - (C) The first is correct but the second is not because there should be spaces between the tokens
 - (D) The first is correct but the second is not correct because the operator should be '-lt'
 - (E) The first is wrong, but the second is correct.
2. Which of the following will cause a shell variable `var` to be defined with the value "value"?
- (A) `$ $var=${value}`
 - (B) `$ $var = value`
 - (C) `$ var = value`
 - (D) `$ var=value`
 - (E) `$ $var=value`

3. A shell script `script.sh` is executed like this, and the output is shown:

```
$ script.sh 1 2 3 4 5 6
parameters are 1 2 3 4 5 6
```

The first line of the file `script.sh` is `#!/bin/sh`. The second line could be:

- (A) `$ parameters are $* $2 $3 $4 $5 $6`
- (B) `$ echo parameters are $0 $1 $2 $3 $4 $5`
- (C) `$ echo parameters are $# $1 $2 $3 $4 $5`
- (D) `$ echo parameters are @$`
- (E) `$ echo parameters are $$ $1 $2 $3 $4 $5`

Preparation:

4. This question relates to input and output in the shell:
- (A) We can perform *input* with `read`, *output* with `printf`
 - (B) We can perform *input* with `read`, *output* with `echo`
 - (C) We often use a `while` loop with `read` to process *input*, one line for each iteration of the loop
 - (D) We use *redirection* to put output into files
 - (E) All the other choices are correct
5. A shell script is written called `rename`. It can be called in any of the following ways:

```
$ rename  
$ rename -v  
$ rename -v *.c  
$ rename -v *.c  
$ rename -v -l *.c
```

The '-v', '-l' are called:

- (A) *enumerations*
- (B) *test fields*
- (C) *parameters*

- (D) *param*
- (E) *options*