

## 1.108.1

# Use and manage local system documentation

### Weight 4

Linux Professional Institute Certification — 102

Geoffrey Robertson [ge@ffrey.com](mailto:ge@ffrey.com)  
[nicku@nicku.org](mailto:nicku@nicku.org)

Nick Urbanik

This document Licensed under GPL—see section 7

2005 July

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

`whatis` and `apropos`

`man`

`Context`

`Objective`

`whatis` and `apropos`

`whatis`

`apropos`

`Building`

`whatis/appropos`

`database`

`man`

`man options`

`man — configuring`

`man section numbers`

`GNU info`

`Navigation in info`

`/usr/share/doc`

`License Of This Document`

# Topic 108 Documentation [8]

Where we are up to

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

man

GNU info

/usr/share/doc

License Of This  
Document

## 1.108.1 Use and manage local system documentation [4]

1.108.2 Find Linux documentation on the Internet [3]

1.108.5 Notify users on system-related issues [1]

# Use and Manage Local System Documentation

## Objective

Candidates should be able to use and administer the `man` facility and the material in `/usr/share/doc/`.

This objective includes finding relevant `man` pages, searching `man` page sections, finding commands and `man` pages related to them, and configuring access to `man` sources and the `man` system. It also includes using system documentation stored in `/usr/share/doc/` and determining what documentation to keep in `/usr/share/doc/`.

# Use and Manage Local System Documentation

Key files, terms, and utilities

**MANPATH** — an environment variable that specifies a search path for man pages

**man** — the program that accesses man pages

**apropos** — searches descriptions of man pages, returning all matches; same as man -k

**whatis** — returns descriptions of matching man page; same as man -f

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

**whatis and apropos**

whatis

apropos

Building whatis/appropos  
database

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

whatis

apropos

Building  
whatis/appropos  
database

man

GNU info

/usr/share/doc

License Of This  
Document

# Using whatis

display manual page descriptions

- ▶ whatis searches the manual page names and displays the manual page descriptions of any name matched.

- ▶ \$ **whatis nmap** ↵  
nmap (1) – Network exploration tool  
and security scanner

- ▶ (in Debian and Ubuntu but not Red Hat/Fedora)  
-r, --regex Interpret each name as  
a regular expression.

```
$ whatis -r ^ifc ↵  
ifconfig (8) – configure a network interface
```

- ▶ Is equivalent to  
\$ **man -f** ↵

- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: What the **-f**... is...

# Using whatis

display manual page descriptions

- ▶ whatis searches the manual page names and displays the manual page descriptions of any name matched.
- ▶ \$ **whatis nmap** ↵  
nmap (1) – Network exploration tool and security scanner
- ▶ (in Debian and Ubuntu but not Red Hat/Fedora)  
-r, --regex Interpret each name as a regular expression.  
\$ **whatis -r ^ifc** ↵  
ifconfig (8) – configure a network interface
- ▶ Is equivalent to  
\$ **man -f** ↵
- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: What the **-f**... is...

# Using whatis

display manual page descriptions

- ▶ whatis searches the manual page names and displays the manual page descriptions of any name matched.
- ▶ \$ **whatis nmap** ↵  
nmap (1) – Network exploration tool and security scanner
- ▶ (in Debian and Ubuntu but not Red Hat/Fedora)  
-r, --regex Interpret each name as a regular expression.  
\$ **whatis -r ^ifc** ↵  
ifconfig (8) – configure a network interface
- ▶ Is equivalent to  
\$ **man -f** ↵
- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: What the **-f**... is...

# Using whatis

display manual page descriptions

- ▶ whatis searches the manual page names and displays the manual page descriptions of any name matched.
- ▶ \$ **whatis nmap** ↵  
nmap (1) – Network exploration tool and security scanner
- ▶ (in Debian and Ubuntu but not Red Hat/Fedora)  
-r, --regex Interpret each name as a regular expression.  
\$ **whatis -r ^ifc** ↵  
ifconfig (8) – configure a network interface
- ▶ Is equivalent to  
\$ **man -f** ↵
- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: What the **-f**... is...

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

**whatis and apropos**

whatis

apropos

Building whatis/appropos  
database

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

whatis

apropos

Building  
whatis/appropos  
database

man

GNU info

/usr/share/doc

License Of This  
Document

# Using apropos

search the manual page names and descriptions

Each manual page has a short description available within it.  
apropos searches the descriptions for instances of keyword.

```
$ apropos nmap ←  
mmap (2)           - map or unmap files or devices into memory  
munmap (2)         - map or unmap files or devices into memory  
nmap (1)           - Network exploration tool and security scanner  
Tk_MapWindow (3tk) - map or unmap a window  
...  
...
```

- ▶ Is equivalent to  
  \$ man -k ←
- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: apropos -kan produce many lines  
  of output

# Using apropos

search the manual page names and descriptions

Each manual page has a short description available within it.  
apropos searches the descriptions for instances of keyword.

```
$ apropos nmap ←  
mmap (2)           - map or unmap files or devices into memory  
munmap (2)         - map or unmap files or devices into memory  
nmap (1)           - Network exploration tool and security scanner  
Tk_MapWindow (3tk) - map or unmap a window  
...  
...
```

- ▶ Is equivalent to
  - \$ man -k ←
- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: apropos -kan produce many lines of output

# Using apropos

search the manual page names and descriptions

Each manual page has a short description available within it.  
apropos searches the descriptions for instances of keyword.

```
$ apropos nmap ←  
mmap (2)           - map or unmap files or devices into memory  
munmap (2)          - map or unmap files or devices into memory  
nmap (1)            - Network exploration tool and security scanner  
Tk_MapWindow (3tk)  - map or unmap a window  
...  
...
```

- ▶ Is equivalent to
  - \$ man -k ←
- ▶ This may have been asked in previous exams
- ▶ Nick's silly mnemonic: apropos -kan produce many lines of output

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

**whatis and apropos**

whatis

apropos

**Building whatis/appropos  
database**

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

whatis

apropos

**Building**

whatis/appropos

**database**

man

GNU info

/usr/share/doc

License Of This  
Document

# Database for whatis and apropos

- ▶ Both `texttt{whatis}` and `apropos` use a common simple text file database
- ▶ Built by a nightly cron job script in `/etc/cron.daily`
- ▶ Red Hat/Fedora runs a shell script  
`/usr/sbin/makewhatis`
- ▶ Ubuntu runs a program `/usr/bin/man-db`

[Context](#)[Objective](#)[whatis and apropos](#)[man](#)[man\(1\)](#)[man — configuring](#)[man section numbers](#)[GNU info](#)[/usr/share/doc](#)[License Of This Document](#)

# Using man

```
$ man man ←  
man(1)
```

## NAME

man - format and display the on-line manual pages  
manpath - determine user's search path for man pages

## SYNOPSIS

```
man [-acdfFhkKtwW] [--path] [-m system] [-p string]  
[-C config_file] [-M pathlist] [-P pager] [-S section_list]  
[section] name ...
```

## DESCRIPTION

man formats and displays the on-line manual pages.

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

whatis

apropos

Building whatis/appropos  
database

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

man

man options

man — configuring

man section numbers

GNU info

/usr/share/doc

License Of This  
Document

Context

Objective

whatis and apropos

man

man options

man — configuring

man section numbers

GNU info

/usr/share/doc

License Of This  
Document

# Using man options

- k Equivalent to apropos
- f Equivalent to whatis
- K Search for the specified string in *all* man pages.  
Warning: this is probably very slow! It helps to specify a section. (Just to give a rough idea, on my machine this takes about a minute per 500 man pages.)
- a Show all matching man pages from all sections; for example, `man -a passwd` shows the man pages both for `passwd(1)` and `passwd(5)`.

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

whatis

apropos

Building whatis/appropos  
database

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

man

man options

man — configuring

man section numbers

GNU info

/usr/share/doc

License Of This  
Document

# Configuring how man finds manpages

- ▶ The configuration file for man is:
  - ▶ Red Hat/Fedora systems: /etc/man.config
  - ▶ Ubuntu: /etc/manpath.config
- ▶ can override the search paths specified in the configuration files using the **MANPATH** environment variable
  - ▶ MANPATH is a colon-separated list of directories to search
- ▶ You can see the existing search path with

```
$ man --path ↵
```

or:

```
$ manpath ↵
```

```
/usr/local/man:/usr/local/share/man:/usr/share/man:/usr/X11R6/man
```

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

whatis

apropos

Building whatis/appropos  
database

man

man options

man — configuring

man **section numbers**

GNU info

Navigation in info

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

man

man options

man — configuring

man **section numbers**

GNU info

/usr/share/doc

License Of This  
Document

# The Manual Section Numbers

1. *Executable programs* or shell commands
2. System calls (functions provided by the kernel)
3. Library calls (functions within system libraries)
4. Special files (usually found in /dev)
5. *File formats and conventions* eg /etc/passwd
6. Games
7. Miscellaneous (including macro packages and conventions), e.g. man (7), groff (7)
8. *System administration commands* (usually only for root)
9. Kernel routines [Non standard]

# Navigating in man (really less)

The `man` program actually calls many other programs, displaying the result, by default, with the `less` program:

```
$ man -d man 2>&1 | tail -n 1 ←  
(cd /usr/share/man/en && (echo ".pl 11i"; /usr/bin/gunzip  
-c '/usr/share/man/en/man1/man.1.gz') | /usr/bin/gtbl |  
/usr/bin/nroff -c -legacy ISO-8859-1 -mandoc 2>/dev/null |  
/usr/bin/less -is)
```

- h** Show detailed help on using the `less` program
- q** Quit
- g** Go to beginning of `man` page
- G** Go to end of `man` page
- /string** Search for string.
  - n** repeat previous search forwards
- ?string** Search for string backwards
  - N** repeat previous search backwards
- ESC-u** Undo (toggle) search highlighting.

# GNU info

File: info.info, Node: Top, Next: Getting Started, Up: (dir)

Info: An Introduction

\*\*\*\*\*

The GNU Project distributes most of its on-line manuals in the "Info format", which you read using an "Info reader". You are probably using an Info reader to read this now.

There are two primary Info readers: 'info', a stand-alone program designed just to read Info files, and the 'info' package in GNU Emacs, a general-purpose editor. At present, only the Emacs reader supports using a mouse.

If you are new to the Info reader and want to learn how to use it, type the command 'h' now. It brings you to a programmed instruction sequence.

To read about expert-level Info commands, type 'n' twice. This brings you to 'Info for Experts', skipping over the 'Getting Started' chapter.

\* Menu:

- \* Getting Started:: Getting started using an Info reader.
  - \* Expert Info:: Info commands for experts.
  - \* Creating an Info File:: How to make your own Info file.
  - \* Index:: An index of topics, commands, and variables.
- zz-Info: (info.info.gz)Top, 29 lines -Top-----  
 Welcome to Info version 4.8. Type ? for help, m for menuitem ↵ ↵ ↵

# Outline

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

whatis

apropos

Building whatis/appropos  
database

man

man options

man — configuring

man section numbers

**GNU info**

**Navigation in info**

/usr/share/doc

License Of This Document

Context

Objective

whatis and apropos

man

GNU info

Navigation in info

/usr/share/doc

License Of This  
Document

# GNU info Navigation

- Tab** Move among hyperlinks
- Enter** Follow hyperlinks
  - d** Return to the top
  - ?** List these info commands
  - n** Move to the "next" node of this node.
  - p** Move to the "previous" node of this node.
  - u** Move "up" from this node.
  - q** Quit Info altogether.
  - h** Show a primer for first time users.
- /string** Search for string.

/usr/share/doc/

## General information about packages and programs.

\$ **ls /usr/share/doc/** ←

```
a2ps-4.13b          macutils-2.0b3
a52dec-0.7.4        Maelstrom-3.0.6
aalib-1.4.0         MagicPoint-1.11b
abiword-2.4.1       mailman-2.1.5
abook-0.5.4         make-3.80
ac-archive-0.5.39   MADEDEV-3.19
acl-2.2.23          man-pages-1.67
adjtimex-1.20       man-pages-cs-0.16
aiksaurus-1.2.1     man-pages-da-0.1.1
alchemist-1.0.36    man-pages-de-0.4
alchemist-devel-1.0.36 man-pages-es-1.28
alsa-lib-1.0.9rf    man-pages-fr-0.9.7
```

Context

Objective

whatis and apropos

man

GNU info

/usr/share/doc

License Of This  
Document

/usr/share/doc/

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

man

GNU info

/usr/share/doc

License Of This  
Document

```
$ ls /usr/share/doc/acl-2.2.23 ←  
CHANGES.gz    LICENSE    PORTING    README
```

# /usr/share/doc/

```
$ head /usr/share/doc/acl-2.2.23/README ↵  
Access control list package README
```

---

See the file doc/INSTALL for build, installation and post-install configuration steps.

Refer to the acl(5) manual page for general access control list information and references to other related manual pages.

The extended attributes and access control list project for the ext2 and ext3 filesystems is located at:

<http://acl.bestbits.at/>

For more information and details on how to contribute to the XFS project see the web pages at:

<http://oss.sgi.com/projects/xfs/>

/usr/share/doc/

1.108.1

Use and manage local  
system documentation  
Weight 4

Geoffrey Robertson

Context

Objective

whatis and apropos

man

GNU info

/usr/share/doc

License Of This  
Document

\$ **firefox /usr/share/doc/xfig/html/index.html** ←

... or open this file URL:

file:///usr/share/doc/xfig/html/index.html

# Topics Covered

Context

Objective

whatis and apropos

whatis

apropos

Building whatis/apropos database

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

whatis and apropos

whatis and apropos  
man

whatis

GNU info

apropos

/usr/share/doc

Building whatis/appropos database

License Of This Document

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

whatis and apropos

whatis and apropos  
man

whatis

GNU info

apropos

/usr/share/doc

Building whatis/appropos database

License Of This Document

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

whatis and apropos

whatis and apropos  
man

whatis

GNU info

apropos

/usr/share/doc

Building whatis/apropos database

License Of This Document

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

whatis and apropos

whatis and apropos  
man

whatis

GNU info

apropos

/usr/share/doc  
License Of This Document

Building whatis/apropos database

man

man options

man — configuring

man section numbers

GNU info

Navigation in info

/usr/share/doc

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
man

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

License Of This  
Document

`man`

`man options`

`man — configuring`

`man section numbers`

`GNU info`

Navigation in info

`/usr/share/doc`

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

`GNU info`

Navigation in info

`/usr/share/doc`

`License Of This Document`

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

`GNU info`

Navigation in info

`/usr/share/doc`

`License Of This Document`

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

`GNU info`

Navigation in info

`/usr/share/doc`

`License Of This Document`

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

`GNU info`

Navigation in info

`/usr/share/doc`

`License Of This Document`

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

**GNU info**

Navigation in info

`/usr/share/doc`

`License Of This Document`

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
man

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` database

License Of This Document

man

`man options`

`man — configuring`

`man section numbers`

GNU info

Navigation in info

`/usr/share/doc`

License Of This Document

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

**GNU info**

Navigation in info

`/usr/share/doc`

`License Of This Document`

# Topics Covered

Context

Geoffrey Robertson

Objective

Context

Objective

`whatis` and `apropos`

`whatis` and `apropos`  
`man`

`whatis`

`GNU info`

`apropos`

`/usr/share/doc`

**Building** `whatis/apropos` **database**

`License Of This Document`

`man`

`man options`

`man — configuring`

`man section numbers`

**GNU info**

Navigation in info

`/usr/share/doc`

`License Of This Document`

Geoffrey Robertson

Context

Objective

whatis and apropos

man

GNU info

/usr/share/doc

License Of This  
Document

# License Of This Document

Copyright © 2005, 2003 Geoffrey Robertson <ge@ffrey.com>  
and Nick Urbanik <nicku@nicku.org>.

Permission is granted to make and distribute verbatim copies  
or modified versions of this document provided that this  
copyright notice and this permission notice are preserved on all  
copies under the terms of the GNU General Public License as  
published by the Free Software Foundation—either version 2 of  
the License or (at your option) any later version.