

1.112.3 TCP/IP configuration and troubleshooting Weight 7

Linux Professional Institute Certification — 102

Angus Lees gus@inodes.org

Geoffrey Robertson ge@ffrey.com

Nick Urbanik nicku@nicku.org

2005 July

Description of Objective

Candidates should be able to view, change and verify configuration settings and operational status for various network interfaces. This objective includes manual and automatic configuration of interfaces and routing tables. This especially means to add, start, stop, restart, delete or reconfigure network interfaces. It also means to change, view or configure the routing table and to correct an improperly set default route manually. Candidates should be able to configure Linux as a DHCP client and a TCP/IP host and to debug problems associated with the network configuration.

Key files, terms, and utilities include:

/etc/HOSTNAME or /etc/hostname
/etc/hosts
/etc/networks

```
/etc/host.conf
/etc/resolv.conf
/etc/nsswitch.conf
ifconfig
route
dhcpd, dhcpclient, pump
host
hostname (domainname, dnsdomainname)
netstat
ping
traceroute
tcpdump
the network scripts run during system initialization.
```

TCP/IP Configuration and Troubleshooting

Candidates should be able to view, change and verify configuration settings and operational status for various network interfaces. This objective includes manual and automatic configuration of interfaces and routing tables. This especially means to add, start, stop, restart, delete or reconfigure network interfaces. It also means to change, view or configure the routing table and to correct an improperly set default route manually. Candidates should be able to configure Linux as a DHCP client and a TCP/IP host and to debug problems associated with the network configuration.

Weight: 7

TCP/IP Configuration and Troubleshooting

```
/etc/HOSTNAME or /etc/hostname    ifconfig
/etc/hosts                        route
/etc/networks                     netstat
/etc/host.conf                    host
/etc/resolv.conf                  ping
/etc/nsswitch.conf                tcpdump
traceroute
dhcpd, dhcpclient, pump
hostname (domainname, dnsdomainname)
the network scripts run during system initialisation
```

TCP/IP Configuration and Troubleshooting

Linux Networking HOWTO by Joshua Drake :

<http://www.linuxdoc.org/HOWTO/Net-HOWTO/index.html>

Linux Ethernet-Howto by Paul Gortmaker :

<http://www.linuxdoc.org/HOWTO/Ethernet-HOWTO.html>

Network interface configuration

```
ifconfig eth0 192.168.7.26
netmask 255.255.255.0
broadcast 192.168.7.255
```

```
ifconfig eth0 down
```

```
route add -net 192.168.7.0
netmask 255.255.255.0
dev eth0
```

```
route add default gw 192.168.7.1
```

View routing table:

```
route -n
```

Ports in use	netstat -a -u -t
Routing table	netstat -r
Interfaces	netstat -i
Multicast groups	netstat -g
Masqueraded connections	netstat -M
Statistics	netstat -s

ping Try to bounce an ICMP packet off a host

Good for reachability, round trip delay, packet loss

traceroute Show the network path to a particular host

Good for testing routing problems, “which ISP screwed up”

tcpdump Dump raw network traffic

Exceptional for diagnosing network problems involving a particular host

tcpdump is your friend, learn to use it

```
# tcpdump -i ppp0 not port ssh
tcpdump: listening on ppp0
21:54:32.913475 10.0.128.107.1024 > 10.0.128.97.domain: 20147+ A? fatso.urnet.com.au. (36) (DF)
21:54:33.102745 10.0.128.97.domain > 10.0.128.107.1024: 20147* 1/3/3 (178) (DF)
21:54:33.103766 10.0.128.107 > 203.26.250.2: icmp: echo request (DF)
21:54:33.352745 203.26.250.2 > 10.0.128.107: icmp: echo reply
21:54:34.102912 10.0.128.107 > 203.26.250.2: icmp: echo request (DF)
21:54:34.302745 203.26.250.2 > 10.0.128.107: icmp: echo reply
21:56:09.908636 10.0.128.107.1068 > 203.26.250.2.www: S 1245080954:1245080954(0) win 5840 <mss
21:56:10.052743 203.26.250.2.www > 10.0.128.107.1068: S 3633684004:3633684004(0) ack 124508095
21:56:10.052869 10.0.128.107.1068 > 203.26.250.2.www: . ack 1 win 5840 <nop,nop,timestamp 5047
21:56:12.977510 10.0.128.107.1068 > 203.26.250.2.www: P 1:2(1) ack 1 win 5840 <nop,nop,timesta
```

System scripts set the hostname from one of these files during boot, using the **hostname** command.

dnsdomainname, **ypdomainname**, **nisdomainname** and **domainname** are variations on **hostname**

domainname gives the NIS domainname, **NOT the DNS domain** “Name Service Switch” configuration

```
passwd: compat
group: compat
shadow: compat
```

```
hosts: files dns
networks: files
```

```
protocols: db files
services: db files
ethers: db files
rpc: db files
```

```
netgroup: nis
```

Labels for network addresses

Only supports class A, B or C addresses (not CIDR)

Rarely used or kept up to date

```
localnet 192.168.1.0
```

Hostname to IP address mapping, mostly superseded by DNS

```
127.0.0.1 localhost
192.168.1.1 cat.pasture.com.au cat
```

The following lines are desirable for IPv6 capable hosts

```
::1      ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
ff02::3 ip6-allhosts
```

Various keywords to tweak non-DNS-specific resolver behaviour
Rarely modified; most options no longer relevant

```
order hosts,bind
multi on
```

DNS configuration for resolver

Nameserver defaults to 127.0.0.1, search suffix defaults to DNS domain name

```
search pasture.com.au
nameserver 10.0.128.97
```

host performs various DNS queries

```
host [options] hostname [server]
```

Common options:

-v verbose

-l list all hosts in a domain (using AXFR)

-t query type (“-t any” is useful)

“Dynamic Host Control Protocol” configures networking details, DNS, etc automatically
by querying a “DHCP server”

Various DHCP clients:

dhcpcd Comes with ISC DHCP server, highly configurable

dhcpcd

pump Simple DHCP client written by RedHat

udhcpc Very small DHCP client

License Of This Document

Copyright © 2005, 2003 Angus Lees <gus@inodes.org>, Geoffrey Robertson <ge@ffrey.com>
and Nick Urbanik <nicku@nicku.org>. Permission is granted to make and distribute verbatim
copies or modified versions of this document provided that this copyright notice and this
permission notice are preserved on all copies under the terms of the GNU General Public
License as published by the Free Software Foundation—either version 2 of the License or
(at your option) any later version.