

# 1.112.3

## TCP/IP configuration and troubleshooting

### Weight 7

Linux Professional Institute Certification — 102

**Angus Lees** [gus@inodes.org](mailto:gus@inodes.org)   **Geoffrey Robertson**  
[ge@ffrey.com](mailto:ge@ffrey.com)   **Nick Urbanik** [nicku@nicku.org](mailto:nicku@nicku.org)

2005 July

# Description of Objective

## 1.112.3 TCP/IP configuration and troubleshooting

Candidates should be able to view, change and verify configuration settings and operational status for various network interfaces. This objective includes manual and automatic configuration of interfaces and routing tables. This especially means to add, start, stop, restart, delete or reconfigure network interfaces. It also means to change, view or configure the routing table and to correct an improperly set default route manually. Candidates should be able to configure Linux as a DHCP client and a TCP/IP host and to

## Key files, terms, and utilities include:

/etc/HOSTNAME or /etc/hostname

/etc/hosts

/etc/networks

/etc/host.conf

/etc/resolv.conf

/etc/nsswitch.conf

ifconfig

route

dhcpcd, dhcpclient, pump

host

hostname (domainname, dnsdomainname)

netstat

ping

traceroute

tcpdump

the network scripts run during system initialization

# TCP/IP Configuration and Troubleshooting

## Objective

1.112.3  
TCP/IP configuration  
and troubleshooting  
Weight 7

Geoff Robertson

Candidates should be able to view, change and verify configuration settings and operational status for various network interfaces. This objective includes manual and automatic configuration of interfaces and routing tables. This especially means to add, start, stop, restart, delete or reconfigure network interfaces. It also means to change, view or configure the routing table and to correct an improperly set default route manually. Candidates should be able to configure Linux as a DHCP client and a TCP/IP host and to debug problems associated with the network configuration.

**Weight: 7**

# TCP/IP Configuration and Troubleshooting

Key files, terms, and utilities

1.112.3  
TCP/IP configuration  
and troubleshooting  
Weight 7

Geoff Robertson

/etc/HOSTNAME or /etc/hostname	ifconfig
/etc/hosts	route
/etc/networks	netstat
/etc/host.conf	host
/etc/resolv.conf	ping
/etc/nsswitch.conf	tcpdump
tracert	
dhcpcd, dhcpcd.conf, pump	
hostname (domainname, dnsdomainname)	
<b>the network scripts run during system initialisation</b>	

# TCP/IP Configuration and Troubleshooting

Resources of Interest

1.112.3  
TCP/IP configuration  
and troubleshooting  
Weight 7

Geoff Robertson

Linux Networking HOWTO by Joshua Drake :

`http://www.linuxdoc.org/HOWTO/  
Net-HOWTO/index.html`

Linux Ethernet-Howto by Paul Gortmaker :

`http://www.linuxdoc.org/HOWTO/  
Ethernet-HOWTO.html`

## Network interface configuration

```
ifconfig eth0 192.168.7.26  
    netmask 255.255.255.0  
    broadcast 192.168.7.255
```

```
ifconfig eth0 down
```

```
route add -net 192.168.7.0  
    netmask 255.255.255.0  
    dev eth0
```

```
route add default gw 192.168.7.1
```

**View routing table:**

```
route -n
```



Ports in use	<code>netstat -a -u -t</code>
Routing table	<code>netstat -r</code>
Interfaces	<code>netstat -i</code>
Multicast groups	<code>netstat -g</code>
Masqueraded connections	<code>netstat -M</code>
Statistics	<code>netstat -s</code>

- ping** Try to bounce an ICMP packet off a host  
Good for reachability, round trip delay, packet loss
- tracert** Show the network path to a particular host  
Good for testing routing problems, “which ISP screwed up”
- tcpdump** Dump raw network traffic  
Exceptional for diagnosing network problems involving a particular host

## tcpdump is your friend, learn to use it

```
# tcpdump -i ppp0 not port ssh
tcpdump: listening on ppp0
21:54:32.913475 10.0.128.107.1024 > 10.0.128.97.domain: 20147+ A? fatso.urnet.com.
21:54:33.102745 10.0.128.97.domain > 10.0.128.107.1024: 20147* 1/3/3 (178) (DF)
21:54:33.103766 10.0.128.107 > 203.26.250.2: icmp: echo request (DF)
21:54:33.352745 203.26.250.2 > 10.0.128.107: icmp: echo reply
21:54:34.102912 10.0.128.107 > 203.26.250.2: icmp: echo request (DF)
21:54:34.302745 203.26.250.2 > 10.0.128.107: icmp: echo reply
21:56:09.908636 10.0.128.107.1068 > 203.26.250.2.www: S 1245080954:1245080954(0) win
21:56:10.052743 203.26.250.2.www > 10.0.128.107.1068: S 3633684004:3633684004(0) ack
21:56:10.052869 10.0.128.107.1068 > 203.26.250.2.www: . ack 1 win 5840 <nop,nop,time
21:56:12.977510 10.0.128.107.1068 > 203.26.250.2.www: P 1:2(1) ack 1 win 5840 <nop,
```

System scripts set the hostname from one of these files during boot, using the **hostname** command.

**dnsdomainname**, **ypdomainname**, **nisdomainname** and **domainname** are variations on **hostname**

**domainname** gives the NIS domainname, **NOT the DNS domain**

## “Name Service Switch” configuration

```
passwd:          compat
group:           compat
shadow:         compat

hosts:           files dns
networks:        files

protocols:       db files
services:        db files
ethers:          db files
rpc:             db files

netgroup:        nis
```

Labels for network addresses  
Only supports class A, B or C addresses (not CIDR)  
Rarely used or kept up to date

```
localnet 192.168.1.0
```

## Hostname to IP address mapping, mostly superseded by DNS

```
127.0.0.1 localhost
192.168.1.1 cat.pasture.com.au cat
```

# The following lines are desirable for IPv6 capable hosts

```
::1          ip6-localhost ip6-loopback
fe00::0     ip6-localnet
ff00::0     ip6-mcastprefix
ff02::1     ip6-allnodes
ff02::2     ip6-allrouters
ff02::3     ip6-allhosts
```

Various keywords to tweak non-DNS-specific resolver  
behaviour

Rarely modified; most options no longer relevant

```
order hosts,bind  
multi on
```



## DNS configuration for resolver

Nameserver defaults to 127.0.0.1, search suffix defaults to  
DNS domain name

```
search pasture.com.au  
nameserver 10.0.128.97
```

## **host** performs various DNS queries

```
host [options] hostname [server]
```

### Common options:

- v verbose
- l list all hosts in a domain (using AXFR)
- t query type (“-t any” is useful)

“Dynamic Host Control Protocol” configures networking details, DNS, etc automatically by querying a “DHCP server”

Various DHCP clients:

`dhcpcd` Comes with ISC DHCP server, highly configurable

`dhcpcd`

`pump` Simple DHCP client written by RedHat

`udhcpc` Very small DHCP client

# License Of This Document

Copyright © 2005, 2003 Angus Lees <gus@inodes.org>, Geoffrey Robertson <ge@ffrey.com> and Nick Urbanik <nicku@nicku.org>. Permission is granted to make and distribute verbatim copies or modified versions of this document provided that this copyright notice and this permission notice are preserved on all copies under the terms of the GNU General Public License as published by the Free Software Foundation—either version 2 of the License or (at your option) any later version.