## Conform

- With Central configuration
- $\bullet \ \ldots \ and \ {\tt conform.}$
- Configuration stored entirely in three files as a Perl hash!
- Specify configuration entirely in the machines file
- Software stored in CVS ...
- and as RPMs in our apt repository
- · build servers provision installation with Kickstart

#### Replace a box

- Machines file entry specifies configuration already
- Machine has new disk kickstart it (uses PXE)
- Run conform on the box.
- All the required RPMs, CVS modules are installed
- All configuration is done completely
- Even the firewall is configured for the applications

## Main Points

- No configuration is done locally
- This is system administration done by programming

# 2 License Of This Document

## License Of This Document

Copyright © 2008 Nick Urbanik <nicku@nicku.org>

You can redistribute modified or unmodified copies of this document provided that this copyright notice and this permission notice are preserved on all copies under the terms of the GNU General Public License as published by the Free Software Foundation—either version 2 of the License or (at your option) any later version.

# Optus lca08

# Nick Urbanik <nicku@nicku.org>

This document Licensed under GPL—see section 2

29 Jan 2008

## Outline

# Contents

1	1.1	Optus Internet Infrastructure	 	 	<b>1</b> 1
2	Lice	ense Of This Document			2

# 1

# 1.1 Optus Internet Infrastructure

## **Optus Configuration Management**

- We use all free software
  - except for Radiator and Netapps
- We have about 800,000 ISP customers
- We support about 500 servers
- With from 5 to 12 people
- How do we do it?